







# snowstar®





SNOWSTAR TAKE BETTER MACHINES










**PROFESSIONAL EFFICIENT**

# WORK EQUIPMENT

SNOWZOOM  ARTICULATED, U- AND AREAL PLOUGHS  WING SNOW, SAND-BLASTING AND SNOW BUCKETS  BUCKET BRUSHES, ROTARY BROOM BEAMS AND ROTARY BROOMS  **WWW.SNOWSTAR.FI**


-  Top equipment for cleaning
-  Excellent price-performance ratio
-  Durable structures
-  Versatile features

## Snowzoom

-  Adjustable ploughing width
-  Floating pins have bushes and grease nipples
-  Cleans efficiently and quickly
-  Blade of 400 hardox – wear resistant
-  Three standard functions - Spreading simultaneously or separately
-  Pressure accumulator protects against hits to the front and sides
-  Leaves a rough surface – non-slip



TECHNICAL SPECIFICATIONS	SZ 1450 - 2350	SZ 1700-2700	SZ 2000-3200	SZ 2500-4000	SZ 2700-4400
MAX. WORKING WIDTH (mm)	2350	2700	3200	4000	4400
HEIGHT (mm)	600	790	790	790	950
TOE ANGLE	30°+30°	30°+30°	30°+30°	30°+30°	30°+30°
WEIGHT (kg)	495	840	875	1025	1180



### DID YOU KNOW?

All SnowStar equipment include an interchangeable joiner plate.



# PROFESSIONAL EFFICIENT WORK EQUIPMENT

## SNOW REMOVAL



### DID YOU KNOW?

All SnowStar equipment include flotation in the pushing device with greasable floating pins.



### ACCESSORIES

- 160-degree turning wing
- Mesh blade



## U-ploughs

### NEW EQUIPMENT FOR ALL CONDITIONS

- Suited primarily for cleaning yards and sidewalks
- For easy removal of large snow masses
- Blades equipped with suspension



TECHNICAL SPECIFICATIONS	snow-u 2000-3500	snow-u 2400-3900	snow-u 2400-4300	snow-u 2800-4300	snow-u 2800-4700	snow-u 3000-6100	snow-u 4000-6000
WIDTH (mm)	2100-3500	2400-3900	2400-4300	2800-4300	2800-4700	3075-6100	4000-6000
HEIGHT (mm)	850	850	850	1100	1100	1300	1305
WEIGHT (kg)	850	950	1050	1250	1280	1785	1800








## Articulated Ploughs

- Curved wing
- Articulated frame
- Blades equipped with suspension
- Areal plough function






TECHNICAL SPECIFICATIONS	NL 180	NL 200	NL 250	NL 290	NL 330	NL 370	NL 400
WORKING WIDTH (mm)	1560-1800	1750-2000	2170-2500	2500-2900	2860-3300	3200-3700	3470-4000
HEIGHT (mm)	750/650	750/650	850/740	850/740	1000/850	1100/950	1100/950
TOE ANGLE	35°	35°	35°	35°	35°	35°	35°
WEIGHT (kg)	345	420	630	690	760	890	950

-  Top equipment for cleaning
-  Excellent price-performance ratio
-  Durable structures
-  Versatile features



## Ploughs





-  Suited primarily for ploughing roads
-  Short frame brings power to snow removal
-  Pushing device with flotation



TECHNICAL SPECIFICATIONS	AL 2800	AL 3200	AL 3600
WORKING WIDTH (mm)	2350-2800	2685-3200	3100-3700
HEIGHT (mm)	700/1200	700/1200	700/1300
TOE ANGLE	27°+33°	27°+33°	27°+33°
WEIGHT (kg)	825	840	1025



## Flipper Buckets

-  Round smooth bottom – snow comes off more easily
-  Wide movement of flippers – Snow directed to the back of the bucket
-  Flipper design, tapering – good visibility. Fits under outdoor structures
-  Available with teeth (11mm-16mm)




TECHNICAL SPECIFICATIONS	SLK 140	SLK 170	SLK 200	SLK 250	SLK 270	SLK290
WIDTH (mm)	1400	1700	2000	2500	2700	2900
MAX. WIDTH (mm)	2560	3170	3470	3970	4700	4900
HEIGHT (mm)	755	820	960	960	1400	1400
DEPTH	855	955	1160	1160	1550	1550
VOLUME (l)	500	650	1500	2500	3500	4000
WEIGHT (kg)	290	655	670	685	1340	1440



# PROFESSIONAL EFFICIENT WORK EQUIPMENT

## SNOW REMOVAL



### Sand Spreading Buckets

- Transmission integrated into frame
- Strong frame structure and transmission



#### ACCESSORIES

- Mixing axle and mesh (can be retrofitted)



TECHNICAL SPECIFICATIONS	HK 400	HK 600	HK 700	HK 1000	HK 1500	HK 2000	HK 2500
SANDING WIDTH (mm)	1100	1400	1400	1600	2000	2200	2200
VOLUME (l)	400	600	700	1000	1500	2000	2500
WEIGHT (kg)	250	270	415	450	620	835	930

### Snow Buckets







#### DID YOU KNOW?

All SnowStar snow buckets have an extra strong frame structure.




TECHNICAL SPECIFICATIONS	LK 700	LK 1100	LK 1300	LK 1600	LK 2000	LK 2500	LK 3000	LK 4000	LK 5000
VOLUME (l)	700	1100	1300	1600	2000	2500	3000	4000	5000
WIDTH (mm)	1700	1900	2100	2400	2500	2500	2600	2900	3000
LIP PLATE (mm)	10	16	16	20	20	20	20	20	25

-  Top equipment for cleaning
-  Excellent price-performance ratio
-  Durable structures
-  Versatile features

## Bucket brushes



-  Standard accessories: Irrigation system, 700mm brush lamellas, bolt fitting, flow regulating valve, bolt Hardox 500 lip plate, brush height adjustment, brush roller flotation, 2-hose system and hose fittings.




### ACCESSORIES

- Flotation system, side brush, turning equipment RC2000 and rotation direction selector valve



TECHNICAL SPECIFICATIONS	KAH2000	KAH2500	KAH2500XL
WORKING WIDTH (mm)	2000	2500	2500
BUCKET VOLUME (l)	760	960	1550
TANK VOLUME (l)	250	250	2x190
WEIGHT (kg)	570	840	750

## Rotary broom beams

-  Standard accessories: Fitting, support skids, 900mm lamellas, hoses and hose fittings.



TECHNICAL SPECIFICATIONS	PH1000XL	PH1300XL	PH1600XL	PH2000XL	PH2500XL
WEIGHT (kg)	170	204	235	270	300
WORKING WIDTH (mm)	900	900	900	900	900




### DID YOU KNOW?

All SnowStar equipment include an interchangeable joiner plate.



## Rotary booms

-  Standard accessories: Fitting, support skids, 900mm lamellas, hoses and hose fittings.



TECHNICAL SPECIFICATIONS	AH2000	AH2500	AH2500XL	AH3000XL
WIDTH (mm)	2000	2500	2500	3000
TANK VOLUME (l)	250	250	250	250
WEIGHT (kg)	510	565	565	605
BRUSH DIAMETER (mm)	700	700	900	900



## About us

JH-Konemarkkinointi Oy designs, manufactures and markets SNOWSTAR work equipment for wheeled loaders, property maintenance machines, tractors and excavators. Our main products are snow and brush equipment for the maintenance of properties and urban areas, as well as excavator buckets for earthmoving work and excavator undercarriage parts and supplies.

JH-Konemarkkinointi Oy is located centrally in Tampere, Finland. The new 1500m<sup>2</sup> premises/warehouse guarantee quick deliveries anywhere in Finland. In addition to Finland and the other Nordic countries, the SNOWSTAR equipment sales network also extends to Russia and Europe.

## Our values:

JH-Konemarkkinointi reaches its goal through work that is based on strong values. Being customer-focused is the most important value to JH-Konemarkkinointi. As a result, we have committed, long-term customer relationships.

We have courage to believe in our own visions, acknowledge the realities and finish what we start. Perhaps one of the most distinctive values of JH-Konemarkkinointi is entrepreneurship. It translates as proactivity, conscious results orientation, commitment to achieve targets and a way of thinking that mirrors the future.

A happy customer is valuable to JH-Konemarkkinointi. We find out what the customer expects, listen to their needs, keep our promises and aim to exceed customers' expectations.

JH-Konemarkkinointi's operations are based on honesty.

In practice, this means both being honest with yourself as well as your words meeting your actions.

### MISSION

Our mission is to enrich the lives of contractors by offering them durable quality products that bring joy and solutions to everyday problems with their functionality, innovations and design.

### VISION

Our vision is to be global company with:

- a wanted brand
- durable products that bring joy
- a supply that supports category leadership
- first class customer relationships
- first class sales and after-sales marketing

### GOAL

Our goal is to provide our unique products to contractors worldwide, with strong industry expertise and customer knowledge.



## "Snowstar take better equipment"

Snowstar products are the contractors' choice when reliable work equipment are needed for ploughing, sanding, excavating and brushing. They are known for their good price-quality ratio, functionality and durability.

**Snowstar quality equipment are the sensible choice when productivity is crucial.**

## Contact details



**VESALANTIE 18, 33960 PIRKKALA**

**Postal address:** Kalpakuja 4, 01700 VANTAA

**Fax:** +358 9 279 689 71



**MARKO MIETTINEN**

SALES

+358 (0) 40 658 7470

marko.miettinen@snowstar.fi